

GRANULAR BACKFILL
ITEM 164

PART 1 - GENERAL

WORK INCLUDED: (Sec. 01) Furnish and place Granular Backfill as indicated on the drawings and specified.

RELATED WORK: (Sec. 02) Furnished/paid for in this Item:

Earth Excavation and Backfill

Furnished/paid for in respective Items:

Rock Excavation and Backfill
Pavement Replacement
Ductile Iron Pipe & Fittings
Corrugated Metal Pipe
Concrete Pipe Culverts, Drains & Sewers
PVC Gravity Pipe Sewer
PVC Pressure Pipe
Polyethylene Pressure Pipe DIPS
Polyethylene Pressure Pipe
Installation for Polyethylene Drain Pipe

Pipe bedding material will not be considered as granular backfill.

DESCRIPTION: (Sec. 03) Granular Backfill material shall be used as backfill in trenches under pavements, gravel driveways, berms, curbs, gutters and sidewalks, where the pipe line is within 5 feet of the edge of pavement shall be included for payment with the Item for pipe installation. Areas where rock has been excavated, and other areas as may be specifically indicated or as otherwise directed by the Resident Representative will be paid for under, Additional Granular Backfill Item 164.

QUALITY ASSURANCE: (Sec. 04) Material shall be sound, hard, free of deleterious materials, having reasonably uniform moisture content at or near optimum for compaction. As specified in Item 603.02 of the ODOT Construction and Material Specification.

Samples may be requested to determine acceptability.

REFERENCES: (Sec. 05)

AASHTO	American Association of State highway Transportation Officials
ODOT	Ohio Department of Transportation, Construction and Materials Specifications.

SUBMITTALS: (Sec. 06) Gradation Certification

PAYMENT: (Sec. 07) Payment shall be the number of cubic yards placed within the pay limits of the trench or excavation shown on the drawings, unless included for payment with another Item.